

Exam MPRI

2020

Let \mathcal{G} be a (two-player deterministic finite) reachability game. The underlying graph is $G = (V, E)$; we make the assumption that every vertex has at least one outgoing edge. We write $V = V_{\text{Eve}} \uplus V_{\text{Adam}}$ for the set of vertices controlled by Eve and Adam. The reachability objective is $\text{REACH}(F) = V^* F V^\omega$, i.e. the set of paths visiting $F \subseteq V$ at least once.

The goal of this problem is to construct efficient algorithms for computing $W_{\text{Eve}}(\text{REACH}(F))$, the set of vertices from which Eve has a winning strategy for the reachability objective. The important parameters here are n the number of vertices and m the number of edges.

For representation purposes, the game is given in the following way: for each vertex v , one bit describes whether it is controlled by Eve or Adam, and then we list all the successors of v .

The objective F is given as a boolean vector over V . To compute $W_{\text{Eve}}(\text{REACH}(F))$ we represent it as well using a boolean vector over V .

Question 1: We write $\mathcal{P}(V)$ for the set of subsets of V . Let us consider the operator $\mathbf{Pre}_F : \mathcal{P}(V) \rightarrow \mathcal{P}(V)$ defined by

$$\mathbf{Pre}_F(X) = F \cup \{v \in V_{\text{Eve}} : \exists (v, v') \in E, v' \in X\} \cup \{v \in V_{\text{Adam}} : \forall (v, v') \in E, v' \in X\}.$$

Prove that \mathbf{Pre}_F is a monotone operator with respect to inclusion: if $X \subseteq X'$ then $\mathbf{Pre}_F(X) \subseteq \mathbf{Pre}_F(X')$.

Question 2: A prefixed point of \mathbf{Pre}_F is a set $X \subseteq V$ such that $\mathbf{Pre}_F(X) \subseteq X$. Prove that:

- (i) There exists a prefixed point of \mathbf{Pre}_F .
- (ii) $W_{\text{Eve}}(\text{REACH}(F))$ is a prefixed point of \mathbf{Pre}_F .
- (iii) The intersection of two prefixed points of \mathbf{Pre}_F is another prefixed point of \mathbf{Pre}_F .
- (iv) There exists a least prefixed point of \mathbf{Pre}_F .
- (v) $W_{\text{Eve}}(\text{REACH}(F))$ is the least prefixed point of \mathbf{Pre}_F .

Question 3: Construct an algorithm for computing $W_{\text{Eve}}(\text{REACH}(F))$ based on Knaster - Tarski fixed point theorem, and show that it has complexity $O(n \cdot m)$.

We want to improve the complexity to $O(n + m)$. Note that since every vertex has at least one outgoing edge, $n \leq m$, so this is actually $O(m)$.

Question 4: Prove that in time $O(m)$ we can get the following equivalent representation of the game: for each vertex v , one bit describes whether it is controlled by Eve or Adam, and then we list all the **predecessors** of v .

Question 5: Prove that the algorithm computes $W_{\text{Eve}}(\text{REACH}(F))$ and that its complexity is $O(m)$.

Algorithm 1: The linear time algorithm for reachability games.

Data: A reachability game.

Function `Attractor()`:

```
   $A \leftarrow F$ 
  for  $v \in V_{Adam}$  do
     $\lfloor$   $\text{number-edges}(v) \leftarrow$  number of outgoing edges of  $v$ 
   $k \leftarrow 1$ 
   $X_k \leftarrow F$ 

  repeat
    for  $v \in X_k$  do
       $\lfloor$  Treat ( $v$ )
       $k \leftarrow k + 1$ 
  until  $X_k = X_{k+1}$ 
  return  $A$ 
```

Function `Treat` (v):

```
  for  $e = (u, v) \in E$  do
    if  $u \in V_{Adam}$  and  $u \notin A$  then
       $\text{number-edges}(u) \leftarrow \text{number-edges}(u) - 1$ 
      if  $\text{number-edges}(u) = 0$  then
         $\lfloor$  Add  $u$  to  $A$ 
         $\lfloor$  Add  $u$  to  $X_{k+1}$ 
    if  $u \in V_{Eve}$  and  $u \notin A$  then
       $\lfloor$  Add  $u$  to  $A$ 
       $\lfloor$  Add  $u$  to  $X_{k+1}$ 
```
